


# HERBST® APPLIANCE / SPLINT RX

**Reserve Ortho Lab**  
**4067 Jefferson Street**  
**Medina, Ohio 44256**  
**330-725-1192 / 800-289-0338**

- Send Additional
- RX Forms
  - Mailing Labels
  - Shipping Supplies

Prescription # **HS00000**

Doctor \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Telephone \_\_\_\_\_  
 Patient Name \_\_\_\_\_  
 Date Shipped \_\_\_\_\_ **DATE NEEDED** \_\_\_\_\_  
 Appointment Time/Date \_\_\_\_\_



\*\*Please Provide Solid Wax Bite  
 \*\*Show where midline should line up with mounted models

- BANDED HERBST**
- Standard Banded Herbst
  - Cantilever Banded Herbst

- CROWN HERBST**
- Upper and Lower Crown
  - Dischinger Cantilever
  - Smith Type I Type II
  - Hilgers Crown Herbst
  - Mayes Cantilever Herbst
  - Other Herbst \_\_\_\_\_

- ACRYLIC HERBST**
- Acrylic Splint Herbst

- COMBINATION DESIGNS**
- Banded Upper/Acrylic Lower
  - Crown Upper/Acrylic Lower
  - Band/Crown Combination

- HERBST ACCESSORIES & OPTIONS**
- HTH® (telescope) Mechanism
  - Hyrax Screw
  - Mini-Expander Upper Lower
  - Lingual Arch Upper Lower
  - 2<sup>nd</sup> Molar Resets Upper Lower
  - Ball Clasps .032 Wire
  - Transpalatal Arch
  - Advancement shims \_\_\_\_\_mm \_\_\_\_\_qty.

- ARCHWIRE TUBES**
- Upper HG Tubes .045 .051
  - Upper AW Tubes .018 .022
    - o AW Mesial of Crown/Band
    - o Extend AW to 2<sup>nd</sup> Bicuspid
  - Lower AW Tubes .018 .022
  - Occlusal Center Gingival
  - \* Diagram Position of all Tubes

- Add Vent holes to Crowns
- Add Vertical Slits to Crowns
- Add Ball Clasps 1 pair 2 pair
- Use Variflex Thermoplastic
- Add Acrylic to 2<sup>nd</sup> Molars
- Add Upper Debonding Screws

- CROWNS and BANDS**
- Reserve Ortho Lab should Provide and fit Crowns/Bands
  - Crowns/Bands Enclosed with Case ROL to seat

**CIRCLE BANDS TO BE SEATED**  
 R 7 6 5/e 4/d | d/4 e/5 6 7 L  
7 6 5/e 4/d | d/4 e/5 6 7

**CROWNS TO BE SEATED**  
 R 7 6 5/e 4/d | d/4 e/5 6 7 L  
7 6 5/e 4/d | d/4 e/5 6 7

**OCCLUSAL RESTS (per diagram)**  
 R 7 6 5/e 4/d | d/4 e/5 6 7 L  
7 6 5/e 4/d | d/4 e/5 6 7

- SPLINT TYPES**
- |  |              |
|--|--------------|
| <input type="checkbox"/> Mora (Gelb)         | Thickness    |
| <input type="checkbox"/> Lower Stack         | 1 -1 ½ mm    |
| <input type="checkbox"/> Flat Plane          | 2-2 ½ mm     |
| o Upper                                      | 3-3 ½ mm     |
| o Lower                                      | Other ____mm |
| <input type="checkbox"/> Sears Pivotal       |              |
| <input type="checkbox"/> Soft Vinyl Bruxing  |              |
| <input type="checkbox"/> Anterior Bite Plane |              |
| <input type="checkbox"/> Dual Laminate       |              |

- ACRYLIC OPTIONS**
- Mount Models
  - Index Indentations of opposing teeth
  - Horseshoe Palatal trim
  - Add Braided strengthener
  - Use Variflex Thermoplastic
  - Color \_\_\_\_\_

\*\* Please indicate clasp type and position

**SPECIAL INSTRUCTIONS** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

<b>LAB USE ONLY</b>	<b>PD</b>
CK	CD
CG	DP